



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In Re the Application of:

Bar-Or et al.

Serial No.: 10/679,699

Filed: October 2, 2003

Atty. File No.: 4172-85

For: "DIAGNOSIS AND MONITORING
OF DISEASES"

Commissioner for Patents
P.O. Box 1450
Alexandria VA 22313-1450

) Group Art Unit:

) Examiner:

) INFORMATION DISCLOSURE STATEMENT

CERTIFICATE OF MAILING

I HEREBY CERTIFY THAT THIS CORRESPONDENCE IS BEING
DEPOSITED WITH THE UNITED STATES POSTAL SERVICE AS
FIRST CLASS MAIL IN AN ENVELOPE ADDRESSED TO
COMMISSIONER FOR PATENTS, P.O. BOX 1450, ALEXANDRIA
VA 22313-1450 ON JUNE 8, 2004.

SHERIDAN ROSS P.C.

BY: 

Dear Sir:

Pursuant to Applicants' duty of disclosure under 37 CFR § 1.56 and 37 CFR §§ 1.97-1.98, Applicants hereby provide a copy of each of the documents identified on the enclosed PTO Form 1449. Applicants do not admit that any of such documents, alone or in any combination, are considered to be material to patentability as defined in 37 CFR § 1.56(b). Moreover, the inclusion of these documents is not to be construed as an admission by Applicants that each such document is prior art as to the above-identified patent application.


Respectfully submitted,

SHERIDAN ROSS P.C.

By: 

Gary J. Connell
Registration No. 32,020
1560 Broadway, Suite 1200
Denver, Colorado 80202-5141
(303) 863-9700

Date: June 8, 2004

SHEET 1 OF 8

FORM PTO-1449

U.S. DEPARTMENT OF COMMERCE
PATENT AND TRADEMARK OFFICEATTY. DOCKET NO.
4172-85SERIAL NO.
10/679,699INFORMATION DISCLOSURE STATEMENT
(Use several sheets if necessary)APPLICANT
Bar-Or et al.FILING DATE
October 2, 2003

GROUP ART

U.S. PATENT DOCUMENTS

*EXAMINER INITIAL		DOCUMENT NUMBER	DATE	NAME	CLASS	SUB CLASS	FILING DATE IF APPROP.
	A1.	6,096,737	8/1/2000	Loder	514	217	
	A2.	6,475,743	11/5/2002	Bar-Or et al.	435	7.1	
	A3.	6,555,543	4/29/2003	Bar-Or et al.	514	255.02	
	A4.	6,492,179	12/10/2002	Bar-Or et al.	436	74	
	A5.	6,461,875	10/8/2002	Bar-Or et al.	436	536	
	A6.	6,090,780	7/18/2000	Prasad	514	11	
	A7.	4,771,056	9/13/1988	Rozencwaig	514	325	
	A8.	4,661,500	4/28/1987	Rozencwaig	514	325	

FOREIGN PATENT DOCUMENTS

		DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUB CLASS	TRANSLATION	
							YES	NO
	A9.	WO 02/11676	2/14/2002	PCT				
	A10.	NZ 033544	8/31/2001	New Zealand				
	A11.	EP 0 835 660 A1	4/15/1998	EPO				
	A12.	EP 0 214 557 A2	3/18/1987	EPO				
	A13.	EP 0 214 557 A3	3/18/1987	EPO				
	A14.	WO 01/34586	5/17/2001	PCT				
	A15.	WO 00/20454	4/13/2000	PCT				

EXAMINER

DATE CONSIDERED

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

FORM PTO-1449 U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE INFORMATION DISCLOSURE STATEMENT (Use several sheets if necessary)	ATTY. DOCKET NO. 4172-85	SERIAL NO. 10/679,699
	APPLICANT Bar-Or et al.	
	FILING DATE October 2, 2003	GROUP ART

							TRANSLATION	
		DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUB CLASS		
	A16.	WO 02/059604	8/1/2002	PCT				
	A17.	WO 00/20840 A1	4/13/2000	PCT				
	A18.	WO 98/40748 A1	9/17/1998	PCT				
	A19.	RU2112242C1	5/27/1998	Russian Federation			X, abstract only	
	A20.	RU2125728C1	1/27/1999	Russian Federation			X, abstract only	
	A21.	RU2128840C1	4/10/1999	Russian Federation			X, abstract only	

OTHER ART (Including Author, Title, Date, Pertinent Pages, etc.)

	A22.	Esposito et al., "The Solution Structure of the C-Terminal Segment of Tau Protein," <i>Journal of Peptide Science</i> 2000, 6 :550-559
	A23.	Gamblin et al., "Tau Polymerization: Role of the Amino Terminus," <i>Biochemistry</i> 2003, 42 (7):2252-2257
	A24.	Crowe et al., "The N Terminal Region of Human Tau is Present in Alzheimer's Disease Protein A68 and is Incorporated into Paired Helical Filaments," <i>American Journal of Pathology</i> 1991, 139 (6):1463-1470
	A25.	Berry et al., "Inhibition of Tau Polymerization by its Carboxy-Terminal Caspase Cleavage Fragment," <i>Biochemistry</i> 2003, 42 :8325-8331
	A26.	Abraha et al., C-terminal inhibition of tau assembly <i>in vitro</i> and in Alzheimer's disease," <i>Journal of Cell Science</i> 2000, 113 :3737-3745
	A27.	Bar-Or et al., "An Analog of the Human Albumin N-Terminus (Asp-Ala-His-Lys) Prevents Formation of Copper-Induced Reactive Oxygen Species," <i>Biochemical and Biophysical Research Communications</i> 2001, 284 (3):856-862

EXAMINER	DATE CONSIDERED
*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.	

FORM PTO-1449 U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	ATTY. DOCKET NO. 4172-85	SERIAL NO. 10/679,699
INFORMATION DISCLOSURE STATEMENT (Use several sheets if necessary)	APPLICANT Bar-Or et al.	
	FILING DATE October 2, 2003	GROUP ART

	A28.	Bar-Or et al., "Potential Plasma Surrogate Biomarkers for CNS Demyelinating Processes," Meeting of the 19th Congress of the European Committee for Treatment and Research in Multiple Sclerosis, Sept. 17-20, 2003 (abstract first distributed at the meeting)
	A29.	Garcia-Sierra et al., "Conformational Changes and Truncation of Tau Protein During Tangle Evolution in Alzheimer's Disease," <i>Journal of Alzheimer's Disease</i> 2003, 5:65-77
	A30.	Hasegawa et al., "Protein Sequence and Mass Spectrometric Analysis of Tau in the Alzheimer's Disease Brain," <i>Journal of Biological Chemistry</i> 1992, 267(24):17047-17054
	A31.	Shutov et al., "[Diagnostic Significance of the type of In Vitro Interaction between Blood Lymphocytes and Serotonin in Multiple Sclerosis]" [Article in Russian], <i>Zh Nevrol Psikhiatr Im S S Korsakova</i> 2002, 102(4):35-38, Abstract only , from PubMed - PMID:12001663
	A32.	Lechin et al., "Plasma Neurotransmitters and Cortisol in Chronic Illness: Role of Stress," <i>J Medicine</i> 1994, 25(3-4):181-192, Abstract only , from PubMed - PMID:7996062
	A33.	Takahara et al., "Detection in Human Serum by Radioimmunoassay of Histidyl-Proline Diketopiperazine, a Metabolite of Thyrotropin-Releasing Hormone," <i>J Clinical Endocrinology</i> 1983, 56(2):312-319, Abstract only , from PubMed - PMID:6401750
	A34.	Prasad, "Bioactive Cyclic Dipeptides," <i>Peptides</i> 1995, 16:151-164
	A35.	Jicha et al., "Sequence Requirements for Formation of Conformational Variants of Tau Similar to Those Found in Alzheimer's Disease," <i>Journal of Neuroscience Research</i> 1999, 55:713-723
	A36.	Murray et al., "Role of α -Synuclein Carboxy-Terminus on Fibril Formation in Vitro," <i>Biochemistry</i> 2003, 42:8530-8540
	A37.	Steiner et al., "Histidyl Proline Diketopiperazine (Cyclo [His-Pro]) in Eating Disorders," <i>Neuropeptides</i> 1989, 14(3):185-189, Abstract only , from PubMed - PMID:2615922
	A38.	Prasad et al., "Isolation of cyclo(His-Pro)-like immunoreactivity from Human Urine and Demonstration of its Immunologic, Pharmacologic, and Physico-chemical Identity with the Synthetic Peptide," <i>Biochemistry Int</i> 1990, 21(3):425-434, Abstract only , from PubMed - PMID:2222490
	A39.	Hilton et al., "Food Contains the Bioactive Peptide, Cyclo(His-Pro), <i>J Clinical Endocrinol Metab</i> 1992, 75(2):375-378, Abstract only , from PubMed - PMID:1639938
	A40.	Banks et al., "Radioactively Iodinated Cyclo(His-Pro) Crosses the Blood-Brain Barrier and Reverses Ethanol-Induced Narcosis," <i>American J Physiol</i> 1993, 264(5 Pt 1):E723-729, Abstract only , from PubMed - PMID:8498494

EXAMINER	DATE CONSIDERED
*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.	

FORM PTO-1449 U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE INFORMATION DISCLOSURE STATEMENT (Use several sheets if necessary)	ATTY. DOCKET NO. 4172-85	SERIAL NO. 10/679,699
	APPLICANT Bar-Or et al.	
	FILING DATE October 2, 2003	GROUP ART

A41.	Duntas et al., "A Fast Protein Liquid Chromatography (FPLC) Method for Study of Thyrotropin-releasing Hormone (TRH) and its metabolite Histidyl-Proline Diketopiperazine (CHP) in Human Blood: Degradation in Liver and Pancreatic Diseases," <i>Neuropeptides</i> 1993 25 (6):357-361, Abstract only , from PubMed -PMID:8127415
A42.	Shukla et al., "Role of Endogenous Cyclo(His-Pro) in Cold-Induced Hypothermia in the Desert Rat (<i>Mastomys natalensis</i>)," <i>Peptides</i> 1994, 15 (8):1471-1474, Abstract only , from PubMed -PMID:7700849
A43.	Jaspan et al., "Study of Passage of Peptides Across the Blood-Brain Barrier: Biological Effects of Cyclo(His-Pro) After Intravenous and Oral Administration, <i>Annals of the New York Academy of Science</i> 1994, 739 :101-107, Abstract only , from PubMed -PMID:7832464
A44.	Wolf et al., "Identification of Cyclo(His-Pro)-Like Immunoreactivity in Human Follicular Fluid: Correlation with Steroid and Peptide Hormones," <i>J Soc Gynecol Investigation</i> 1994, 1 (3):220-224, Abstract only , from PubMed -PMID:9419775
A45.	Fragner et al., "A New Biological Contribution of Cyclo(His-Pro) to the Peripheral Inhibition of Pancreatic Secretion," <i>American Journal of Physiology</i> 1997, 273 (6 Pt 1):E1127-32, Abstract only , from PubMed -PMID:9435528
A46.	Yamada et al., "Abundance of Cyclo (His-Pro)-Like Immunoreactivity in the Brain of TRH-deficient Mice," <i>Endocrinology</i> 1999, 140 (1):538-541, Abstract only , from PubMed -PMID:9886867
A47.	Parker et al., "Evidence for the Presence of Immunoreactive Histidyl-Proline Diketopiperazine [Cyclo (His-Pro)] in the Adult Human Brain," <i>Peptides</i> 1983, 4 (6):879-881, Abstract only , from PubMed -PMID:6672793
A48.	Youngblood et al., "Bovine Serum Albumin-GABA-His-Pro-NH ₂ : an Immunogen for Production of Higher Affinity Antisera for TRH," <i>J Neurosci Methods</i> 1983, 9 (4):367-373, Abstract only , from PubMed -PMID:6422166
A49.	Lechan et al., "Thyrotropin Releasing Hormone but not Histidyl-Proline Diketopiperazine is Depleted from Rat Spinal Cord Following 5,7-Dihydroxytryptamine Treatment," <i>Brain Research</i> 1985, 326 (1):152-155, Abstract only , from PubMed -PMID:3918765
A50.	Diamanti Kandarakis et al., "Distribution and Characterization of Cyclo (His-Pro)-Like Immunoreactivity in the Human Gastrointestinal Tract," <i>Neuropeptides</i> 1985, 6 (1):21-5, Abstract only , from PubMed -PMID:3990923
A51.	Pekary et al., "In vitro Production of a TRH-Homologous Peptide and His-Pro Diketopiperazine by Human Semen," <i>J Androl</i> 1985, 6 (6):379-385, Abstract only , from PubMed -PMID:3935636
A52.	Koskinen, "Effect of Low Intravenous Doses of TRH, Acid-TRH and Cyclo (His-Pro) on Cerebral and Peripheral Blood Flows," <i>British Journal of Pharmacology</i> 1986, 87 (3):509-519, Abstract only , from PubMed -PMID:3099875
A53.	Prasad et al., "Distribution and Characterization of Cyclo (His-Pro)-Like Immunoreactivity in Human Cerebrospinal Fluid," <i>Biochem Biophys Res Commun</i> 1986, 136 (2):835-842, Abstract only , from PubMed -PMID:2871837

EXAMINER	DATE CONSIDERED
*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.	

FORM PTO-1449 U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE INFORMATION DISCLOSURE STATEMENT (Use several sheets if necessary)	ATTY. DOCKET NO. 4172-85	SERIAL NO. 10/679,699
	APPLICANT Bar-Or et al.	
	FILING DATE October 2, 2003	GROUP ART

A54.	Kurahashi et al., ["Histidyl-Proline Diketopiperazine (HPD) a Metabolite of Thyrotropin-Releasing Hormone (TRH), Improves the Ataxic Gait in 3-Acetylpyridine (3-AP) Treated Rats"] [Article in Japanese] <i>No To Shineki</i> 1986, 38 (9):893-898, Abstract only , from PubMed -PMID:3790371
A55.	Coggins et al., "High Affinity Specific Binding of the Thyrotrophin Releasing Hormone Metabolite Histidylproline to Rat Brain Membranes," <i>Neuropeptides</i> 1987, 9 (1):83-91, Abstract only , from PubMed -PMID:3104816
A56.	Mori et al., "Specific Radioimmunoassay of Cyclo (His-Pro), a Biologically Active Metabolite of Thyrotropin-Releasing Hormone," <i>Endocrinology</i> 1981, 108 (5):1995-1997, Abstract only , from PubMed -PMID:6783397
A57.	Mori et al., "Regional Dissociation of Histidyl-Proline Diketopiperazine (Cyclo-(His-Pro)) and Thyrotropin-Releasing Hormone (TRH) in the Rat Brain," <i>Brain Research</i> 1982, 231 (2):451-453, Abstract only , from PubMed -PMID:6799149
A58.	Prasad et al., "Distribution and Metabolism of Cyclo (His-Pro): a New Member of the Neuropeptide Family," <i>Peptides</i> 1982, 3 (3):591-598, Abstract only , from PubMed -PMID:6812031
A59.	Mori et al., "Histidyl-Proline Diketopiperazine Cyclo (His-Pro): Identification and Characterization in Rat Pancreatic Islets," <i>Biochem Biophys Res Commun</i> 1983, 115 (1):281-286, Abstract only , from PubMed -PMID:6351862
A60.	Mitsuma et al., "Radioimmunoassay for Thyrotropin-Releasing Hormone Precursor Peptide, Lys-Arg-Gln-His-Pro-Gly-Arg-Arg," <i>Exp Clin Endocrinology</i> 1989, 93 (1):53-60, Abstract only , from PubMed -PMID:2500352
A61.	Gu et al., "Diketopiperazine Formation, Hydrolysis, and Epimerization of the New Dipeptide Angiotensin-Converting Enzyme Inhibitor RS-10085," <i>Pharm Res</i> 1987, 4 (5):392-397, Abstract only , from PubMed -PMID:3508548
A62.	Guerra et al., "PEGylation Prevents the N-Terminal Degradation of Megakaryocyte Growth and Development Factor," <i>Pharm Res</i> 1998, 15 (12):1822-1827, Abstract only , from PubMed -PMID:9892464
A63.	Sepetov et al., "Rearrangement, Racemization and Decomposition of Peptides in Aqueous Solution," <i>Peptide Research</i> 1991, 4 (5):308-313, Abstract only , from PubMed -PMID:1802242
A64.	Reubsaet et al., "Qualitative and Quantitative Aspects of the Degradation of Several Tripeptides Derived from the Antitumor Peptide Antagonist [Arg(6), D-Trp(7,9), MePhe(8)] Substance P[6-11]," <i>J Pharm Biomed Anal</i> 1999, 19 (3-4):277-284, Abstract only , from PubMed -PMID:10704092
A65.	Song et al., "Synergistic Antidiabetic Activities of Zinc, Cyclo (His-Pro), and Arachidonic Acid," <i>Metabolism</i> 2001 50 (1):53-59, Abstract only , from PubMed -PMID:11172475
A66.	Rosenthal et al., "Effects of Arachidonic Acid and Cyclo (His-Pro) on Zinc Transport Across Small Intestine and Muscle Tissues," <i>Life Sci</i> 2001, 70 (3):337-348, Abstract only , from PubMed -PMID:12005266

EXAMINER	DATE CONSIDERED
*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.	

FORM PTO-1449 U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE INFORMATION DISCLOSURE STATEMENT (Use several sheets if necessary)	ATTY. DOCKET NO. 4172-85	SERIAL NO. 10/679,699
	APPLICANT Bar-Or et al.	
	FILING DATE October 2, 2003	GROUP ART

A67.	Pandey et al., "Synthetic Peptides Corresponding to a Repetitive Sequence of Malarial Histidine Rich Protein Bind Haem and Inhibit Haemozoin Formation in vitro," <i>Mol Biochem Parasitol</i> 1997, 90 (1):281-287, Abstract only , from PubMed -PMID:9497049
A68.	Baig et al., "High Performance Liquid Chromatography as a Tool in the Definition of Abnormalities in Monamine and Tryptophan Metabolites in Cerebrospinal Fluid from Patients with Neurological Disorders," <i>Biomed Chromatogr</i> 1991, 5 (3):108-112, Abstract only , from PubMed -PMID:1863084
A69.	Monaco et al., "Plasma and cerebrospinal fluid tryptophan in Multiple Sclerosis and Degenerative Diseases," <i>J Neurol Neurosurg Psychiatry</i> 1979 42 (7):640-1, Abstract only , from PubMed -PMID:479903
A70.	Scharpe et al., "Peptide Truncation by Dipeptidyl Peptidase IV: A New Pathway for Drug Discovery," <i>Verh K. Acad Geneesk Belg.</i> 2001, 63 (1):5-32, Abstract only , from PubMed -PMID:11284388
A71.	Mentlein et al., "Dipeptidyl-Peptidase IV Hydrolyses Gastric Inhibitory Polypeptide, Glucagon-Like Peptide-1(7-36)amide, Peptide Histidine Methionine and is Responsible for their Degradation in Human Serum," <i>European Journal of Biochemistry</i> 1993, 214 (3):829-835, Abstract only , from PubMed -PMID:8100523
A72.	Hilton et al., "Radioimmunoassay of Cyclo(His-Pro) in Unextracted Human Plasma: Report of a Normal Range and Definition of Factors Critical for Successful Assay," <i>Neuropeptides</i> 1989, 13 (1):65-70, Abstract only , from PubMed -PMID:2922107
A73.	Iriuchijima et al., "Thyrotropin-Releasing Hormone and Cyclo (His-Pro)-Like Immunoreactivities in the Cerebrospinal Fluids of 'Normal' Infants and Adults, and Patients with Various Neuropsychiatric and Neurologic Disorders," <i>Life Sci.</i> 1987, 41 (22):2419-2428, Abstract only , from PubMed -PMID:2891013
A74.	Hilton et al., "Relationship between Plasma Cyclo (His-Pro), a Neuropeptide Common to Processed Protein-Rich Food, C-Peptide/Insulin Molar Ratio in Obese Women," <i>Nutr Neurosci</i> 2001, 4 (6):469-474, Abstract only , from PubMed -PMID:11843266
A75.	Mori et al., "Brain TRH and Cyclo (His-Pro) and Brain Protein in the Newborn Rat are Altered by Maternal Liquid Protein Feeding," <i>Life Sci</i> 1983, 32 (14):1607-1612, Abstract only , from PubMed -PMID:6403790
A76.	Mori et al., ["TRH and Cyclo (His-Pro) Concentrations in the Young Rat Brain are Altered by a Liquid Protein Diet"] [Article in Japanese], <i>Nippon Naibunpi Gakkai Zasshi</i> 1987, 63 (7):846-852
A77.	Mori et al., "Alteration by Liquid Protein Diet of TRH and Cyclo(His-Pro) in the Young Rat Brain," <i>Res. Commun Chem Pathol Pharmacol</i> 1985, 47 (1):157-160, Abstract only , from PubMed -PMID:392073
A78.	Goolcharran et al., "Comparison of the Rates of Deamidation, Diketopiperazine Formation and Oxidation in Recombinant Human Vascular Endothelial Growth Factor and Model Peptides," <i>AAPS PharmSci</i> 2000, 2 (1)E5, Abstract only , from PubMed - PMID:11741221

EXAMINER	DATE CONSIDERED
*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.	

FORM PTO-1449 U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE INFORMATION DISCLOSURE STATEMENT (Use several sheets if necessary)	ATTY. DOCKET NO. 4172-85	SERIAL NO. 10/679,699
	APPLICANT Bar-Or et al.	
	FILING DATE October 2, 2003	GROUP ART

A79.	Moss et al., "Kinetics and Mechanism of the Facile Cyclization of Histidyl-Prolineamide to Cyclo (His-Pro) in Aqueous Solution and the Competitive Influence of Human Plasma," <i>J Pharm Pharmacol</i> 1990, 42 (1):7-12, Abstract only , from PubMed - PMID:1969958
A80.	Hilton et al., "Identification and Characterization of Cyclo (His-Pro)-Like Immunoreactivity in Amniotic Fluid," <i>Peptides</i> 10 (2):299-301, Abstract only , from PubMed -PMID:2755872
A81.	Bhargava et al., "Inhibition of Neuroleptic-Induced Dopamine Receptor Supersensitivity by Cydo (Leu-Gly)," <i>Pharmacol Biochem Behav</i> 1980, 13 (5):633-636, Abstract only , from PubMed -PMID:7443732
A82.	Leduque et al., "Histidyl-Proline Diketopiperazine (His-Pro DKP) Immunoreactivity is Present in the Glucagon-Containing Cells of the Human Fetal Pancreas," <i>J Clin Invest</i> 1987, 79 (3):875-880, Abstract only , from PubMed -PMID:3102558
A83.	Battersby et al., "Diketopiperazine Formation and N-Terminal Degradation in Recombinant Human Growth Hormone," <i>Int J Peptide Protein Res</i> 1994, 44 (3):215-222, Abstract only , from PubMed -PMID:7822097
A84.	Bhargava et al., "Inhibition of Neuroleptic-Induced Dopamine Receptor Supersensitivity by Cydo (Leu-Gly)," <i>Pharmacol. Biochem Behav</i> 1980, 13 (5):633-636, Abstract only , from PubMed -PMID:7443732
A85.	Yanagisawa et al., "The Subcellular and Organ Distribution and Natural Form of Histidyl-Proline Diketopiperazine in Rat brain Determined by a Specific Radioimmunoassay," <i>J Biol Chem</i> 1980, 255 (21):10290-10294, Abstract only , from PubMed - PMID:7430126
A86.	Hoffman et al., "An Enzymatically Stable Peptide with Activity in the Central Nervous System: Its Penetration Through to Blood-CSF Barrier," <i>Brain Res.</i> 1977, 122 (1):87-94, Abstract only , from PubMed -PMID:837226
A87.	Meester et al., "In Vivo Inhibition of Dipeptidyl Peptidase IV Activity by Pro-Pro-diphenyl-phosphonate (Prodipine)," <i>Biochemical Pharmacology</i> 1997, 54 :173-179
A88.	Prasad et al., "Thermoregulation in rats: opposing effects of thyrotropin releasing hormone and its metabolite histidyl-proline diketopiperazine," <i>Biochem Biophys Res. Commun.</i> 1978, 85 (4):1582-187
A89.	Wilber et al., "Histidyl-proline diketopiperazine: a potent and chronic appetite-inhibiting neuropeptide," <i>Trans Assoc. Am Physicians</i> 1986, 99 :245-249
A90.	Wilber et al., "Endogenous histidyl-proline diketopiperazine [cyclo (His-Pro)]: a potential satiety neuropeptide in normal and genetically obese rodents," <i>Trans Assoc Am Physicians</i> 1983, 96 :131-136
A91.	Bhargava, "Inhibition of abstinence syndrome in opiate dependent mice by cyclo (His-Pro), <i>Life Sci</i> 1981, 28 (11):1261-1267
A92.	Bhargava, "The effects of thyrotropin releasing hormone and histidyl-proline diketopiperazine on delta-9-tetrahydrocannabinol-induced hypothermia," <i>Life Sci</i> 1980, 26 (11):845-850

EXAMINER	DATE CONSIDERED
*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.	

FORM PTO-1449 U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	ATTY. DOCKET NO. 4172-85	SERIAL NO. 10/679,699
INFORMATION DISCLOSURE STATEMENT (Use several sheets if necessary)	APPLICANT Bar-Or et al.	
	FILING DATE October 2, 2003	GROUP ART

	A93.	Bhargava, "Antagonism of ketamine-induced anesthesia and hypothermia by thyrotropin releasing hormone and cyclo (His-Pro)," <i>Neuropharmacology</i> 1981, 20 (7):699-702
	A94.	Mori et al., "Histidyl-Proline Diketopiperazine cyclo (His-Pro): measurement by radioimmunoassay in human blood in normal subject and in patients with hyper- and hypothyroidism," <i>Biochem Biophys Res Commun</i> 1982, 109 (2):541-547
	A95.	Luca et al., "Determination of serotonin content and ceruloplasmin activity, of blood and CSF amino acid level in multiple sclerosis," <i>Neurol Psychiatr (Bucur)</i> 1986, 24 (3):153-159
	A96.	Mori et al., "Distribution of histidyl-proline diketopiperazine [cyclo (His-Pro)] and thyrotropin-releasing hormone (TRH) in the primate central nervous system," <i>Brain Res</i> 1982, 245 (1):183-186

EXAMINER	DATE CONSIDERED
*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.	